

သိပ္ပံနှင့်နည်းပညာဝန်ကြီးဌာန  
ဇီဝနည်းပညာသုတေသနဦးစီးဌာန  
(အိတ်ဖွင့်တင်ဒါကြေညာခြင်း)

၁။ သိပ္ပံနှင့်နည်းပညာဝန်ကြီးဌာန၊ဇီဝနည်းပညာသုတေသနဦးစီးဌာနအတွက် ၂၀၂၃-၂၀၂၄ဘဏ္ဍာ  
ရေးနှစ်အတွင်း ငွေလုံးငွေရင်းအသုံးစရိတ်ဖြင့် Lot-1 သုတေသနစက်ပစ္စည်း (၄၆)မျိုး၊ Lot -2 ရုံးသုံး  
ပရိဘောဂ (၂၀) မျိုး၊ Lot-3 စက်နှင့်စက်ကိရိယာ( ၂) မျိုး၊ Lot-4 ရုံးသုံးစက်ပစ္စည်း( ၅ ) မျိုး၊အတွက်  
မြန်မာငွေကျပ်ဖြင့် ဆောင်ရွက်လိုအပ်ပါသဖြင့် အိတ်ဖွင့်တင်ဒါ တင်သွင်းနိုင်ကြောင်း ဖိတ်ခေါ်အပ်ပါ  
သည်။

- (က) တင်ဒါလျှောက်လွှာပုံစံများ - ၅-၄-၂၀၂၃  
စတင်ရောင်းချမည့်ရက်
- (ခ) တင်ဒါလျှောက်လွှာပုံစံများ - ၂၆-၄-၂၀၂၃(သင်္ကြန်ပိတ်ရက်မပါ)၄:၀၀နာရီ  
နောက်ဆုံးတင်သွင်းရမည့်ရက်
- (ဂ) တင်ဒါပုံစံရောင်းချမည့်နေရာ - ငွေစာရင်းဌာန၊ဇီဝနည်းပညာသုတေသန  
ဦးစီးဌာန

၂။ တင်ဒါတင်သွင်းခြင်းနှင့်ပတ်သက်၍ အသေးစိတ်အချက်အလက်များအား သိရှိလိုပါက သိပ္ပံနှင့်  
နည်းပညာဝန်ကြီးဌာန၊ဇီဝနည်းပညာသုတေသနဦးစီးဌာန ၊ဖုန်း ၀၆၆-၂၀၅၀၆၂၃၊ ၀၉-၂၅၁၀၇၇၅၇၇  
ရုံးချိန်အတွင်း ဆက်သွယ်စုံစမ်းမေးမြန်းနိုင်ပါသည်။

တင်ဒါလက်ခံရေးနှင့်စိစစ်ရေးကော်မတီ  
ဇီဝနည်းပညာသုတေသနဦးစီးဌာန

၂၀၂၃-၂၀၂၄ ဘဏ္ဍာရေးနှစ်၊ စက်ပစ္စည်း ဝယ်ယူမည့် တင်ဒါစာရင်း

စဉ်	အမျိုးအမည်	အရေအတွက်
	<p><b>Lot(1)</b></p> <p><b>1.Non Control Item</b></p> <p>(1) <b>0.2ml Tubes, with white tip 10<math>\mu</math>L</b>                      Unit Size-1000 tubes                      :White tip                      Unit Size -1000/PK                      Brand -Thermo Scientific <sup>TM</sup></p>	1 No
	<p>(2) <b>Dissolved Oxygen /C-Meter</b>                      Temperature Range :0.0 to 50.0<math>^{\circ}</math>C <sup>2</sup>                      O Resolution -0.01 mg/L, Saturation O Resolution -0.1%                      Temperature Resolution -0.1 <math>^{\circ}</math>C <sup>2</sup>                      O Accuracy <math>\pm</math>1.5% F.S,Saturation O Accuracy <math>\pm</math>1.5% F.S, Temperature Accuracy 0.5<math>^{\circ}</math>C , Calibration - automatic, in air, at100%,                      Temperature Compensation- automatic, 0 to 50<math>^{\circ}</math>C Altitude Compensation -0 to 1900m, Salinity Compensation -0 to 40g/L (1g/L resolution) ,                      Probe - HI 76407/4F with 4m cable,                      Power Supply - 4x 1.5 AA batteries /approx. 200, hours of continuous use; auto -off after 4 hrs of activity; or input for 12 Vdc power adapter , Environment -0 to 50<math>^{\circ}</math>C (32 to 122' F); RH max 100%, Dimensions -196 x 80 x 60 mm,Weight -500g (1.1 lb)</p>	1 Set

စဉ်	အမျိုးအမည်	အရေအတွက်
	<p>(3) <b>Digital Anemometer</b>  Air Velocity.0.45mls, 0~140Km/hr, -0~ 8800 Ft/min,  0 ~88Knots,0~ 100mph (Accuracy ± 3%),  Air temperature - 0 ~ 45°C,32 ~ 133'F(Accuracy ± 3%),  Resolution -.0.2°C , 0.1 m/s, Unit of Velocity-m/s ,  Ft/min, Knots, Km/hr, Mph,  Packing method -PP box +Gift box ,  Power Supply -9V battery , Measuring Items-Air  Velocity &amp; Temperature</p>	1 No
	<p>(4) <b>Tissue Culture glass bottles with lids</b>  Tissues culture bottles,  high quality  glass, clear, plastic lid</p>	2000 Nos
	<p>(5) <b>Haemocytometer</b></p>	1 No
	<p>(6) <b>Vacuum Flasks (250ml)</b></p>	5 Nos
	<p>(7) <b>Test tubes with caps</b>  Test tubes, DURAN®, rimless, 150x 19mmØ,  wall 1.2 mm  Capl approx,. 30ml  No-2787/17</p>	500 Nos
	<p>(8) <b>Centrifuge tubes(15ml)</b>  (500pcs/1Pkt)</p>	2 pacs
	<p>(9) <b>Centrifuge tubes (50ml)</b>  (500pcs/1PKt)</p>	2 pacs
	<p>(10) <b>Microcentrifuge tubes (1.5ml)</b>  (1000pcs/1 Pkt)  Color:nature</p>	2 pacs
	<p>(11) <b>Test tubes stand racks</b>  L x W x H : 155 x 80 x 70 mm  Tube capacity:50 test tubes (10 x 5)</p>	3 Nos

စဉ်	အမျိုးအမည်	အရေအတွက်
	(12) <b>Micro-centrifuge tubes stand racks</b> Case quantity :24 microcentrifuge tubes	5 Nos
	(13) <b>Pipette tips (100ul)-Yellow</b> (1000pcs/1Pkt)	3 pacs
	(14) <b>Pipette Tips (1000ul)-Blue</b> (1000Pcs/1Pkt)	3 pacs
	(15) <b>Pipette tips (100ul)</b> -boxes 96/box	2 boxs
	(16) <b>Pipette tips (1000ul)</b> boxes 96/box	2 boxs
	(17) <b>Eppendorf Tubes 5.0ml and Box</b> <b>Eppendorf Quality ™ , 200 tubes</b> (2 bags x 100 tubes) For 25 tubes -5 x 5 grid Made of polypropylene, for freezing to -86°C, with lid and alphanumeric code, height 65mm	5 boxs
	(18) <b>Glass Filter</b> No-167100-20	2 pacs
	(19) <b>MCE Filters</b> No-167100-52	2 pacs
	(20) <b>Syringe Filters</b> No-194225-01	10 Nos
	(21) <b>Syringe Filters</b> No-167200-35	10 Nos
	(22) <b>Syringes Filters</b> No-167200-36	10 Nos

စဉ်	အမျိုးအမည်	အရေအတွက်
	<p>(23) <b>Trolley</b></p> <p>Number of base:2</p> <p>Length :895mm</p> <p>Width:595mm</p> <p>Height:949mm</p> <p>Floor clearance:591mm</p> <p>Roller:125mm</p> <p>Load capacity:80kg</p>	3 Nos
	<p>(24) <b>Deep Freezer</b></p> <p>External Size (W*D*H) mm :891*930*1945</p> <p>Internal Size (W*D*H) mm:606*575*1180</p> <p>Capacity:408L,Type: Vertical</p> <p>Temp Range:-40 -86°C</p> <p>Temp Accuracy:0.1°C</p> <p>Contro System: Microprocessor control ,</p> <p>LCD Touch Screen</p> <p>Audible and Visual alarm:High and low temp, Sensor Failure,Door ajar, power failure, Voltage abnormal.</p> <p>Refrigeration Type: Optimized auto cascade refrigerating systemRefrigerant :R290 and R170</p> <p>Compressor :1 Sets</p> <p>Structure ;,Internal Material:SS 304</p> <p>External Material:Sprayed steel plate</p>	1 No

စဉ်	အမျိုးအမည်	အရေ အတွက်
	Door:Lockable door Caster:4 Casters Chamber with Inner Door:2 Shelf:3 Pcs Consumption:890W Standard Accessory: 72 Hours battery backup for failure alarm USB port Gross Weight :291Kg	
	(25) <b>BenchMixer V<sub>2</sub> Vortex Mixer</b> (with Reversible Top) With Accessories: Optional head for 12 x 1.5 /2.0 ml, Horizontal (BV 1000-H15) Optional head for tubes and microplate .(66tubes(38 x 1.5 ml) and 28 x 0.5 ml) or 1 microplate) (BV 1000-COMBO)	1 No
	(26) <b>Ultra Pure™ TBE Buffer, 10X</b> Unit Size:1L Brand :Invitrogen™	1 No
	(27) <b>PCR Cloning Kit with DH10B Competent Cells</b> Unit Size -20reactions T4 DNA Ligase;2x Rection Buffer; DNA Blunting Enzyme; Forward Sequencing Primer; Reverse Sequencing Primer; Control PCR Product; with DH10B Competent Cells	1 No
	(28) <b>Step One Plus™ Real-Time PCR System</b> <b>SpecialCalibration Kit (96 well)</b> Unit Size -1 kit	1 No

စဉ်	အမျိုးအမည်	အရေအတွက်
	<p>(29) <b>Vertical Autoclave</b></p> <p>Temp Range:Max 135c (275F)</p> <p>Temp &amp; Pressure *It may vary depending on the surrounding environment: 121c(249.8F)/20psig (0.14MPa),125c(257F)/24psig(0.16MPa),130c(266F)/30psig (0.2MPa),135c(275F)/37psig (0.25MPa),</p> <p>Time Controller:Microprocessor Digital PID Controller</p> <p>Sterling Time:00.00 to 99HR 59 MIN (MIN SEC)selectable,Pressure Gauge:Mechanical type 0 to 0.4 MPa,Sensor:PT-100,Capacity :100L</p> <p>Dimension Internal: 440x 650(H)mm/Ø 17.32"x25.59"</p> <p>Dimension External(WxDxH):600x780x1183mm/23.62"x 30.71"x46.58",Net Weight:140Kg,Material Internal:Stainless Steel,Material External:Steel Plate with Powder Heating Coated,Heater:5KW,Electrical Requirements 120V,50/60Hz,1Ø:41.7A</p> <p>Electrical Requirements 230V,50/60Hz,1Ø:22.7A</p>	1 No
	<p>(30) <b>Air Shower system for Existing room size:</b></p> <p>6'.10"x6'.4"x8'.5" with 3 doors</p> <p>No .of passers at a time:1</p> <p>Material:stainless steel 201/304</p> <p>Nozzle no:12</p> <p>Shower Time:0-99</p> <p>Filter Dust efficiency :Dust &gt;99.99%</p> <p>Particle size:0.3 um</p>	1 No
	<p>(31) <b>Microwave oven</b></p> <p>-23L Microwave Oven -800W</p> <p>-12 Auto Menu</p> <p>-2 Ways Cooking Method</p> <p>-Quick 30 actions</p> <p>- Timber System</p>	1 No

စဉ်	အမျိုးအမည်	အရေ အတွက်
	<p>(32) <b>Water Purification System</b>  MILLI-Q Water Purification System  Packing Size – Each  Resistivity @ 25°C; 18.25 MΩ.cm</p>	1 No
	<p>(33) <b>Conductivity electrode (K)</b>  odel: SK 21T  Specification  Application: Laboratory use, Very low conductivities,  Distilled water, ..etc.  Range: low conductivity (0.1 cm<sup>-1</sup>)  Glass body,  Two poles,  Size: 110xφ12 mm</p>	1 No
	<p>(34) <b>Dissolved Oxygen electrode SZ 20T</b>  Specification  DO Range: 0...60 mg/L</p>	1 No
	<p>(35) <b>Molecular Water Deionizer (ultra water purification system)</b>  Core Components: RO  Production water quality :  Pure water or ultra pure water  Resistivity @ 25°C; 18.25 MΩ.cm  Technology:PP, AC filer, RO Membrane, purification column, final filter  Power supply:AC 220V/50HZ  Certifications:IS 09001:2008.BV  Control system:Full automatic PLC control system with,Touch-panel ,Capacity:10-150L/H ☑</p>	1 No



စဉ်	အမျိုးအမည်	အရေ အတွက်
	<p>(36) <b>Gel Electrophoresis system</b></p> <p>Electrophoresis power supply-Output voltage range -2-300V ,Output current range -1-3A,Power-350W ,Modes-Constantvoltage /current power,timer:</p> <p>Horizontal Electrophoresis Apparatus- Electrophoresis Apparatus,Six 7 x 7cm Casting Trays</p> <p>Vertical gel Electrophoresis Apparatus-Each system comes supplied with casting base with silico mats, 4 glass plate pair sets,2 or 4 combs and spacer sets (depending on model),1 blind plate for sigle runs and replacement gaskets</p>	1 No
	<p>(37) <b>Food Dehydrator (24 Shelves, Digital Control )</b></p> <p>.24 Stainless Steel Tray</p> <p>.Power:2000 Watt</p> <p>.Temp:30-90C</p> <p>.Temperature Controller</p> <p>.Adjustable Timer</p> <p>. Stainless Steel Double Housing Body</p>	2 Nos
	<p>(38) <b>Magnetic Stirrer Hotplate</b></p> <p>-Digital</p> <p>-550C Maximum Temperature</p> <p>-Glass ceramic top plate -200-240v 50-60 Hz</p> <p>-Volume up to 20 liters</p>	1 No

စဉ်	အမျိုးအမည်	အရေ အတွက်
	<p>(39) <b>Analytical Balance</b>  Readability -0.1mg (4 digits)  External calibration  Stabilization time &lt; 3sec  Overload alarm</p>	1 No
	<p>(40) <b>Homogenizer</b>  10,000 -33,000rpm  Disposable probe</p>	1 No
	<p>(41) <b>Vertical Autoclave (60L)</b>  Temp Range:Max 130°C(266F)  Using Press:0.1177 to 0.1274 Mpa(1.2 to 1.3 Kg/cm<sup>2</sup>)  Time Controller Microprocessor Digital PID Controller  Sterling Time:00.00 to 99HR 59MIN (MIN SEC)  selectable,Pressure Gauge Mechanical type 0 to 0.3  MPa,Sensor:PT-100,Capacity:60L  Dimension InternalØ:350x630(H)mm/ 13.78"x24.80"  Dimension External (WxDxH)550x680x1070mm/  21.65"x26.77"x42.12" Net Weight :74Kg  Material Internal:Stainless Steel  Material External:Steel Plate with Powder Heating  Coated,Heater:3KW  Electrical Requirements:230V,50/60Hz,1Q 13.0A  *Accessory -Wire basket x 2EA</p>	1 No

စဉ်	အမျိုးအမည်	အရေ အတွက်
	<p>(42) <b>Food Dehydrator</b>            (24 Shelves, Digital Control )            .24 Stainless Steel Tray            .Power:2000 Watt            .Temp:30-90C            .Temperature Controller            .Adjustable Timer            . Stainless Steel Double Housing Body</p>	1 No
	<p>(43) <b>Rotary Tablet Press Machine</b>            Dies (Sets):9            Max. tablet pressure (KN):60            Max.depth of Fill(mm):15            Max.diameter of table(mm):20            Max.thickness of table(mm):6            Rotary speed (r/min):0-30            Production capacity (tablets/h):16200pcs/h            power of motor (KW):2Ø2            Dimesiond(mm):620x 480x1020            Weight (kg):330</p>	1 No
	(44) <b>Oil Free Vacuum Pump</b>	1 No
	(45) <b>Air Compressor(5L/hrs)</b>	1 No
	(46) <b>Microwave oven</b>	1 No

စဉ်	အမျိုးအမည်	အရေအတွက်
-----	------------	----------

**၂၀၂၃-၂၀၂၄ ဘဏ္ဍာရေးနှစ်၊ စက်ပစ္စည်း ဝယ်ယူမည့် တင်ဒါစာရင်း**

စဉ်	အမျိုးအမည်	အရေအတွက်
	<p align="center"><b>Lot(2)</b></p> <p><b>3.Furniture</b></p> <p>(1) <b>Culture Shelves</b>            Number Of Shelves:4            Length:6ft            Width:2ft            Height :6ft            Floor-Iron mesh</p>	8 Nos
	<p>(2) <b>Revolving Chairs</b>            VST001LC            W46 x D46 x H91 cm</p>	1 No
	<p>(3) <b>Lab Table (1)</b>  <b>Specification:</b>            . Dimension: 5×2.5×3(ft)            . Quartz stone countertop            . Stainless Steel 304 (Painted)Body            . Cabinet Qty -2            . Knee Space between cabinets            Prefer color:White</p>	1 No
	<p>(4) <b>Lab Table (2)</b>  <b>Specification:</b>            . Dimension: 8.4×2.5×3(ft)            . Quartz stone coruntertop            . Stainless Steel 304 (Painted )Body            . Cabinet Qty -3            . Knee Space between cabinets            Prefer color:White</p>	1 No

စဉ်	အမျိုးအမည်	အရေအတွက်
	<p>(5) <b>Lab Table (3)</b></p> <p><b>Specification:</b></p> <ul style="list-style-type: none"> <li>. Dimension: 3.4×2.5×3(ft)</li> <li>. Quartz stone coruntop</li> <li>. Stainless Steel 304 (Painted )Body</li> <li>. Cabinet Qty -2</li> </ul> <p>Prefer color:White</p>	1 No
	<p>(6) <b>Lab Table (4)</b></p> <p><b>Specification:</b></p> <ul style="list-style-type: none"> <li>. Dimension:6.7×2×3(ft)</li> <li>. Quartz stone coruntop</li> <li>. Stainless Steel 304 (Painted )Body</li> <li>. Cabinet Qty -3</li> <li>. Knee Space between cabinets</li> </ul> <p>Prefer color:White</p>	1 No
	<p>(7) <b>Lab Table (5)</b></p> <p><b>Specification:</b></p> <ul style="list-style-type: none"> <li>. Dimension:6×2×3(ft)</li> <li>. Quartz stone coruntop</li> <li>. Stainless Steel 304 (Painted )Body</li> <li>. Cabinet Qty -2</li> <li>. Knee Space between cabinets</li> </ul> <p>Prefer color:White</p>	1 No
	<p>(8) <b>Lab Table (6)</b></p> <p><b>Specification:</b></p> <ul style="list-style-type: none"> <li>. Dimension: 3.4×1.7×3(ft)</li> <li>. Quartz stone coruntop</li> <li>. Stainless Steel 304 (Painted )Body</li> <li>. Cabinet Qty -2</li> </ul> <p>Prefer color:White</p>	1 No

စဉ်	အမျိုးအမည်	အရေအတွက်
	<p>(9) <b>Lab Table (7)</b></p> <p><b>Specification:</b></p> <ul style="list-style-type: none"> <li>. Dimension: 4.2×1.7×3(ft)</li> <li>. Quartz stone coruntop</li> <li>. Stainless Steel 304 (Painted )Body</li> <li>. Cabinet Qty -2</li> </ul> <p><i>Prefer color:White</i></p>	1 No
	<p>(10) <b>Movable Lab Table (8)</b></p> <p><b>Specification:</b></p> <ul style="list-style-type: none"> <li>. Dimension: 1.5×2×3(ft)</li> <li>. Quartz stone coruntop</li> <li>. Stainless Steel 304 (Painted )Body</li> </ul> <p><i>Prefer color:White</i></p>	1 No
	<p>(11) <b>L-shaped Lab Table (9)</b></p> <p><b>Specification:</b></p> <ul style="list-style-type: none"> <li>. Dimension: 14.3×2×3(ft)</li> <li>. Quartz stone coruntop</li> <li>. Stainless Steel 304 (Painted )Body</li> <li>. Cabinet Qty -5</li> <li>. Knee Space between cabinets</li> </ul> <p><i>Prefer color:White</i></p>	1 No
	<p>(12) <b>Lab Table (10)</b></p> <p><b>Specification:</b></p> <ul style="list-style-type: none"> <li>. Dimension: 4.6×2.5×3(ft)</li> <li>. Quartz stone coruntop</li> <li>. Stainless Steel 304 (Painted )Body</li> <li>. Cabinet Qty -2</li> <li>. Knee Space between cabinets</li> </ul> <p><i>Prefer color:White</i></p>	1 No

စဉ်	အမျိုးအမည်	အရေအတွက်
	(13) <b>Movable Lab Table (11)</b> <b>Specification:</b> . Dimension: 2.5×2.5×3(ft) . Quartz stone coruntertop . Stainless Steel 304 (Painted )Body . Prefer color:White	1 No
	(14) <b>Wall mount cabinet</b> <b>Specification:</b> . Stainless Steel 304 (Painted )Body . Dimension (L×W×H): 10.5 × 1.5 × 2 (ft) . No. of cabinet: 7 . No. of shelves: 2 shelves per cabinet . With Doors . Prefer color: White	1 No
	(15) <b>Stainless steel adjustable stool</b> <b>Specification:</b> 2.3 ft Maximum high	8 Nos
	(16) <b>Metal storage cupboard with glass door</b> <b>Specification:</b> . Dimension: 3×1.5×6(ft) .No. of shelves: 5 .2 Door . Prefer color:White	1 No
	(17) သံဘီရို(36" x16" x 72")	4 Nos
	(18) အရာရှိ စားပွဲ (60"x36"x30")	1 No
	(19) <b>Revolving Chairs</b> W64.0 x D73.0 x H118.0 -130.0CM	1 No
	(20) <b>Boxfile Shelf (6' x 3' x 13")</b> (4) ဆင့်, ဘီးပါ	2 No

စဉ်	အမျိုးအမည်	အရေ အတွက်
-----	------------	--------------

**၂၀၂၃-၂၀၂၄ ဘဏ္ဍာရေးနှစ်၊ စက်ပစ္စည်း ဝယ်ယူမည့် တင်ဒါစာရင်း**

စဉ်	အမျိုးအမည်	အရေ အတွက်
	<p align="center"><b>Lot(3)</b></p> <p><b>OFFICE</b></p> <p><b>1.Machinery&amp;Equipment</b></p>	
	(1) Airconditioner (1.5 HP) Split Type / Non-Inverter/R410a)	7 Nos
	(2) မြတ်ရိတ်စက်(ဘေးလွယ်) (0.5 HP)	2 Nos



စဉ်	အမျိုးအမည်	အရေအတွက်
-----	------------	----------

**၂၀၂၃-၂၀၂၄ ဘဏ္ဍာရေးနှစ်၊ စက်ပစ္စည်း ဝယ်ယူမည့် တင်ဒါစာရင်း**

စဉ်	အမျိုးအမည်	အရေအတွက်
	<p style="text-align: center;"><b>Lot(4)</b></p> <p><b>2.Office Equipment</b></p> <p>(1) <b>Laptop Computer</b>            -i3 12th Gen            CPU and Chipset : Intel®Core TM i3-1215U Processor, (10MB Cachej, 1.2GHz up to 4.4 Hz)            Graphic: NVIDIA®Geforce ®MX550 with 2GB VRAM            Memory: 4GB DDR4 3200 MHz Memory (One slot Free up to 16GB)            Storage: 256GB PCIe NVMe SSD (One Slot Free)            Display: 15.6"FHD Acer ComfyView TM IPS SlimBezel LCD, LED-Backlit            Webcam: 720P HD            Wireless and Networking: Wifi 6E + BT, USB 2.0 ,3.0 (Dual), Type-C,HDMI,GBLAN            Battery: 50Wh Li-ion Battery (4 cell)</p>	2 Nos
	<p>(2) <b>Digital Multifunction Copier With Feeder</b>            (Black &amp; White A3)            52 ppm            512MB Image Memory            600 x600 dpi (Scan)            1200 x 600 dpi (print)            Duplex Standard            With Feeder Standard (A4, LGL,A3)            Mirror Manual A4            25% to 400% Zoom            Network Print/Colour Scan (Standard)            550 x 2 Sheets Stack bypass            Windows 7/8/8.1/10(32bit,64bit)</p>	2 Nos

စဉ်	အမျိုးအမည်	အရေ အတွက်
	<p>(3) <b>Laser Printer( A4)</b>  12 ppm Black &amp; White laser printing  A4, USB interface,600 x 600 dpi</p>	2 Nos
	<p>(4) <b>All in one Laser Printer (Black &amp; White )</b>  <u>Specification</u>  - Print/Scan/Copy  -18/19 ppm Print Speed (A4/ LTR)  -Maximum Resolution :1200 x 600 dpi  - True Resolution :600 x 600 dpi  -ID card Copy, Background Density Adjustment  -Energy Saving 1.4 W (Sleep Mode)  -Energy Star TEC: 0.6 kWh  - Cartridge 325 (1600 Pages)</p>	1 No
	<p>(5) <b>Camera</b>  Resolution:24.20 Megapixels  Sensor size :ApS-C (22.3mm x 14.9 mm)  Kit lens :3.10 x zoom 18 -55mm(29- 88mm)</p>	1 No